




XENTRY

2 WIRE HD VIDEO SYSTEM

A brand new vision



FARFISA
INTERCOMS SINCE 1967




**A brand
new vision**

XENTRY

2 WIRE HD VIDEO SYSTEM

**Xentry System integrates
IP technology into a 2-wire
infrastructure**, offering
maximum installation flexibility
and outstanding audio
and video quality.



XENTRY

2 WIRE HD VIDEO SYSTEM

Features of the system:

- HD video signal
- Full duplex communication
- Plug & Play Configuration
- Multi-channel call (up to 4 simultaneous communications)
- Installations up to 16 monitors and 4 door stations
- No video distributors for the monitors needed
- No line distributors for the door stations or riders needed
- Excellent solution when utilise existing cable
- Easy integrations with CCTV cameras
- Simplified setup through XN700 monitor





"Proximity"
activation: automatic
management of the
brightness display

Integrated
proximity
reader

3.5" display
480X480 TFT
touch screen

Illuminated icons:
system status,
conversation,
door open

HD 2MP
camera



code XN500

Door Stations

Common features:

- Surface mounting
- Protection: IP54 and IK07
- 2MP 1080 starlight camera
- Wide-angle 150° horizontal lens
- Voice prompt

XN500

Door station made in aluminum, with touch display for one- or multi-way installations. Provided with RFID/MIFARE proximity reader. *Dim: mm 190 x 95 x 28.*



XN100

Door station made in 304 stainless steel with 1 call button and RFID/MIFARE proximity reader. Rain shelter included. *Dim: mm 178 x 94 x 37*



XN300

Door station made in 304 stainless steel with 1 call button and keypad. Rain shelter included. *Dim: mm 182 x 93 x 44*





Video intercom



XN700

7" video intercom, pure glass touch control, hands-free, white colour.

- Full HD
- 1024 x 600 pixel resolution
- Wi-Fi integrated
- Full duplex audio channel
- Video memory
- Intercommunicating call
- Tuya app interface
- Dim: mm 186 x 139 x 14



Videokits:

1XN500

1-way videokit composed with: XN500 door station, XN700 videointercom and PRSXN power supply. Expandable to multi-way, up to 16 monitors and 4 door stations.

1XN100

1-way videokit composed with XN100 door station, XN700 videointercom and PRSXN power supply. Expandable up to 4 door stations.

1XN300

1-way videokit composed with XN300 door station, XN700 videointercom and PRSXN power supply. Expandable up to 4 door stations.

Accessories:

PRSXN


Power supply, 60VA. Dim: 4 DIN modules

RLX Additional relay for extra activations


FP11/10 Set with proximity cards

FP12/10 Set with proximity electronic Fobs

**Multi-way
installation**



Installation examples



**1-way
installation** with
video intercoms in
parallel

ACI srl via Ezio Vanoni, 3
60027 Osimo (AN) **ITALY**
T +39 071 . 720 20 38
info@farfisa.com · farfisa.com

