

SE77E

ITALIAN VIEW



One design, more solutions



Sette is the indoor video intercom range featuring a 7" display.

Designed with an extremely rigorous aesthetic, its slim and perfectly balanced form gives the monitor a naturally elegant and lightweight appearance, enhanced by its eye-catching 45° sharp-edged profile. The character is striking, emphasised by the step that separates the screen from the user interface.

Entirely made in Italy, it includes LED-lit icons, soft-touch buttons, and an intuitive graphical interface, allowing users to manage advanced video intercom functions, in both basic and **Wi-Fi** versions available with **Duo** technology, as well as with **IP EVO** technology.



→ **easy mounting**



→ **high resolution**



→ **cyber security**



→ **integration with voice assistants**



→ **accessibility**



→ **made in Italy**





Technical features:



→ Hands-free



→ **LCD 7" 16:9** screen



→ **Soft touch** buttons



→ Dimensions: mm 194 x 157 x 25



→ Surface mounting (metal wall bracket included)



app



Thanks to the **IP EVO app**, standard video intercom functions can be transferred to mobile devices, such as smartphones, tablets, or digital voice assistants.

The app is available for free on **Android** and **iOS** and is designed for both installers and end users.

With its highly user-friendly interface, the IP EVO app simplifies system configuration and everyday use, guiding users through essential operations such as video intercom call answering, door lock opening, live camera monitoring, and full system management—and much more.

Features and functions for each model

Features / functions	SE4000	SE4272	SE4252
Technology	IP EVO	DUO	DUO
Wi-Fi	yes	yes	no
Door-opener	yes	yes	yes
Switch camera	yes	yes	yes
Auto switch-on	yes	yes	yes
Intercommunicating	yes	yes	yes
Open door signal	yes	yes	yes
Bell exclusion	yes	yes	yes
Call from landing	yes	yes	yes
Call to exchanger	yes	yes	yes
Event view	yes	yes	no
Weather forecast	yes	yes	no
Integration with voice assistants	yes	no	no
Call forwarding to smartphone	yes	yes	no
Configuration with QR	yes	yes	no
Chip encryption	yes	yes	no
Masked passwords	yes	yes	no
Remote firmware update	yes	yes	no
Power supply	PoE or local (PRS210)	DUO BUS	DUO BUS
RJ45 connector	yes	no	no

Table adaptor art. **TA4260** available.



Easy set up!

With the IP EVO app, configuring the device is extremely simple and fast, just scan the QR code and follow the steps indicated to complete the setup in just one minute!

Scan, connect, talk!



← Find out more on **IP EVO** technology



← Find out more on **DUO** technology



ACI srl via Ezio Vanoni, 3 · 60027 Osimo (AN) ITALY
T +39 071.7202038 · info@farfisa.com · www.farfisa.com

